



BS-2036F(LED) Fluorescent Biological Microscope



Introduction

BS-2036F(LED) Series LED fluorescence microscopes are newly developed microscopes, the microscopes use LED as the light source, the life span of the LED lamp is much longer than mercury lamp, the performance is also better. It has 6 turret positions for filter cubes, more filter cubes can be used without change the blocks.

Features

- 1. Excellent fluorescent image with infinite optical system.
- 2. LED illumination with 50,000 hours life span.
- 3. Convenient to use, no need warm-up.
- 4. No need for cooling due to LED cold light source.
- 5. 6 positions for filter cubes.

Application

BS-2036F(LED) series LED Fluorescence microscopes are used to study the absorbing, transportation, chemicals distribution and positioning in cells. They are widely used in disease examination, immune diagnosis and life science areas.

Specifications

Item	Specification		BS-2036 FT(LED)
Optical System	Infinite Optical System	•	•
Viewing Head	Seidentopf Binocular Viewing Head, Inclined at 30°, 360° Rotatable,	•	
	Interpupillary 50-75mm		





	Seidentopf Trinocular View	ble,				
	Interpupillary 50-75mm					•
	Seidentopf Binocular/Trinocular Viewing Head, Inclined at 30°, 360° Rotatable,					0
	Interpupillary 48-75mm					
	WF10×/20mm					•
Eyepiece	WF16×/13mm					0
	Reticule Eyepiece WF10×/20mm (0.1mm)					0
	Infinite E-Plan Achromatic Objective 4×, 10×, 40×, 100×(Oil)					•
Objective	Infinite Plan Achromatic Objective 4×, 10×, 20×, 40× (S), 60× (S), 100× (Oil) (S)					0
	Backward Quadruple Nosepiece					•
Nosepiece	Backward Quintuple Nosepiece				0	0
Focusing	Coaxial Coarse & Fine Focusing knobs, Travel Range: 26mm, Scale:2um					•
	Stage Size: 145×140mm, Cross Travel 76×52mm, Two Slide Holder					•
Stage	Rackless Double Layers Mechanical Stage, Size: 182×140mm, Cross Travel					_
	77×33mm, Two Slide Holder					0
Condenser	Abbe Condenser NA1.25 with Iris Diaphragm					•
	6V/20W Halogen Lamp, Brightness Adjustable					•
Transmitted Illumination	6V/30W Halogen Lamp, Brightness Adjustable					0
	3W-LED Illumination Systems (non-rechargeable), Brightness Adjustable					0
	0.3W-LED Illumination Systems (Rechargeable), Brightness Adjustable				0	0
	Field Diaphragm, Photo adapters(for DSLR cameras), Video adapters(1X, 0.5X),					_
Optional Accessories Reflected Light Source	Polarization set, Phase contrast kit, filters, mirror, Cable Winding Device					0
		Excitation	Dichroic Mirror	Barrier Filter		
	Blue excitation	420-490	505	520	•	•
	Green excitation	500-550	575	590	•	•
	Ultraviolet Excitation	330-380	400	435	0	0
	Violet Excitation	380-420	430	460	0	0
Fluorescent Lamp	3W LED Lamp	•	•			
Package	42cm*28cm*45cm, 40cm*20cm*40cm, 12kg					•

Note: •Standard Outfit, oOptional





Sample Images

